THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

032/2

CHEMISTRY 2 ALTERNATIVE TO PRACTICAL (For Both School and Private Candidates)

Time: 2 Hours 30 Minutes

Wednesday November 10, 2004 a.m.

Instructions

- 1. This paper consists of five (5) questions.
- 2. Answer all questions.
- 3. All questions carry equal marks.
- 4. Whenever calculations are involved, show clearly all the steps involved.
- 5. Qualitative analysis guidance pamphlets may be used after a thorough check by the supervisor.
- 6. Electronic calculators are not allowed in the examination room.
- 7. Cellular phones are not allowed in the examination room.
- 8. Write your Examination Number on every page of your answer booklet(s).
- 9. For your calculations you may use the following:

Atomic masses

H = 1, O = 16, C = 12, K = 39, Cu = 64.

Faraday constant = 96,500 C.

Molar Volume of a gas = 22.4 dm³ at s.t.p.

1. Figure 1 below represents an experimental set up of the laboratory preparation of dry chlorine.




Fig. 1

- (a) Size the names of the apparatuses labelled J, K, L and M.
 (b) Name compounds A, B and C.
 (c) Write a balanced chemical equation which represents the reaction between compounds A and conc. hydrochloric acid.
 (d) Size ain the function of B and C in the preparation of chlorine gas.
 (d) Secribe one chemical test, by which you could confirm that the gas in the first chlorine.
 (2 marks)
 (2 marks)
- 2. In which experiment, titration in a 0.094 M potassium hydroxide (KOH) solution and sulphuric acid (1.304) gave the results shown in table 1 below.

Table :


EXPERIMENT	PROT	1	2	3
Fine reading (cm 3)	23.50	46.00	23.10	45.40
Initial rading (cm 3)	01.00	23.60	00.70	23.10
Titre volume (cm 3)				

The volume of the pipette used was ?5 cm3.

(a)	(ii) Calculate the mean time of this experiment.	(1½ marks) (½ mark)
(b)	Write a balanced chemical equation for the reaction.	(1½ marks)
(c)	Calculate the concentration of sulphuric acid in	
	(i) moles per dm ³	(3 marks)
	(ii) g per dm ³ .	(3 marks)
(d)	If the indicator used in this conperiment was methyl orange, the colour change	
	at the end point was fror to	(½ marks)

2

The diagram below (Figure 2) represents a copper voltameter used for the electrolysis of aqueous
copper sulphate where copper plates were used as electrodes. Study the diagram carefully and
answer the questions that follow.



- (a) By using ionic equations, show the chemical reactions that took place at the
 - (i) cathode.

(ii) anode. (2 marks)

(b) If 0.05 F were used during electrolysis, calculate the mass of the substance discharged at the cathode.

(4 marks)

(c) What will happen to the colour of the electrolyte as electrolysis continues?

(2 marks)

(d) What changes in mass will occur at the copper anode as electrolysis continues?

(2 marks)

4. The rate of production of a certain gas from the decomposition of potassium chlorate (KC O₃) was studied in a certain school laboratory by heating different masses of potassium chlorate. The results of the experiment were tabulated as shown in table 2 below.

Table 2

Mass of KC O ₃ (g)	0.060	0.121	0.153	0.186	0.244	0.309
Rate of production of the gas cm ³ /min.	18	35	45	56	71.	. 92

(a) How does the rate of production of the gas vary with mass?

(2 marks)

(b) What will happen to the rate of production of the gas if potassium chlorate was mixed with manganese dioxide and heated together? Give reasons for your answer.

(4 marks)

(c) Write a balanced chemical equation for the reaction of the decomposition of potassium chlorate when heated together with manganese dioxide.

(2 marks)

(d) What is the name of the gas produced during the decomposition of potassium chlorate?

(1 mark)

(e) What is the test of the gas in the laboratory?

(1 mark)

5. Sample PP is a simple salt containing one cation and one anion. The tests performed on sample PP and the observations made were recorded in the table as shown below (Table 3). Complete the table and deduce the anion and the cation present in sample PP.

Table 3

Experiment	Observation	Inference	
1. Appearance.	White deliquescent crystals.		
2. A solution of PP in distilled water was prepared.	Soluble salt which forms a colourless solution.		
3. To one portion of the solution of PP from (2) above, dil HNO ₃ was added followed by AgNO ₃ solution, then ammonia soln.	White curdy ppt formed which was soluble in ammonia solution.	ente entre tempe mår en en ente entre till my elek	
4. Flame test.	A brick-red flame was observed.		

(8 marks)

Conclusion

The cation was	and the anion was	(2 marks