

**THE UNITED REPUBLIC OF TANZANIA  
NATIONAL EXAMINATIONS COUNCIL  
CERTIFICATE OF SECONDARY EDUCATION EXAMINATION**

**031/2**

**PHYSICS 2  
ALTERNATIVE TO PRACTICAL  
(For Both School and Private Candidates)**


***Time: 2:30 Hours***

***Wednesday, 12<sup>th</sup> October 2011 a.m.***

**Instructions**


1. This paper consists of **five (5)** questions. Answer **all** the questions.
2. Marks for each question or part thereof are indicated beside the question.
3. Calculators and cellular phones are **not** allowed in the examination room.
4. Write your **Examination Number** on every page of your answer booklet(s).
5. Use  $\pi = 3.14$ .

1. Fill in the gaps with the correct response.

| Name of Device     | Sketch   | Physical Effect             | Applications                          |
|--------------------|--|-----------------------------|---------------------------------------|
| (a) Periscope      |  |                             |                                       |
| (b)                |  | Stationary wave in strings. | Show properties of string vibrations. |
| (c)                |  |                             |                                       |
| (d) Sliding jockey |  |                             |                                       |
| (e) Dry cell       |  |                             |                                       |

(10 marks)

2. An experiment using the arrangement shown below was performed in a Laboratory.



The data were recorded in Table 1.

Table 1

| Load $m$ (g) | Length $x$ (cm) | Extension $S$ (cm) |
|--------------|-----------------|--------------------|
| 0            | 46.5            |                    |
| 50           | 48.2            |                    |
| 100          | 50.1            |                    |
| 150          | 51.6            |                    |
| 200          | 53.3            |                    |
| 250          | 54.9            |                    |

- Complete Table 1 by computing the values of extension. (3 marks)
- Plot a graph of extension  $S$  against load  $m$ . (3 marks)
- Find the slope. (1 mark)
- What was the aim of the experiment? (1 mark)
- Explain two sources of error in this experiment. (1 mark)
- How can you minimize the errors in (e) above? (1 mark)

3. In an experiment performed by a student the following results were recorded in Table 2.

Table 2

| Angle of incidence ( $i^\circ$ ) | Angle of refraction ( $r^\circ$ ) | $\sin i$ | $\sin r$ | $\frac{\sin i}{\sin r}$ |
|----------------------------------|-----------------------------------|----------|----------|-------------------------|
| 30                               | 19                                |          | 0.33     | 1.52                    |
| 40                               | 25                                | 0.64     | 0.42     |                         |
| 50                               | 30                                |          |          |                         |
| 60                               |                                   | 0.87     | 0.62     | 1.40                    |

- Complete Table 2 by filling the correct results. (3 marks)
- Plot a graph of  $\sin i$  against  $\sin r$ . (3 marks)
- Calculate the slope of the graph. (1 mark)
- What is the physical meaning of the slope obtained in (c) above? (1 mark)
- Identify and state the law verified by this experiment. (2 marks)

4. In an experiment to determine the e.m.f. and internal resistance of a cell, the following results were recorded.

|                                |     |     |     |     |     |
|--------------------------------|-----|-----|-----|-----|-----|
| Current I (Amperes)            | 1.0 | 1.5 | 2.0 | 2.5 | 3.0 |
| Potential difference V (volts) | 1.8 | 1.7 | 1.6 | 1.5 | 1.4 |

- Plot a graph of V against I. (3 marks)
  - What is the nature of the graph? (1 mark)
  - Use your graph to determine the e.m.f of a cell. (2 marks)
  - Find the slope of the graph. (1 mark)
  - Write the equation governing this experiment. (1 mark)
  - Calculate the value of the internal resistance of the cell. (2 marks)
5. Table 3 shows the pairs of frequency (f) and tension (T) of a constant length vibrating string of a sonometer obtained in a certain experiment.

Table 3

| Frequency f (Hz) | Tension T (kgf) | $\sqrt{T} \text{ (Kgf)}^{\frac{1}{2}}$ |
|------------------|-----------------|--|
| 80               | 0.49            |  |
| 170              | 2.25            |  |
| 230              | 4.00            |  |
| 350              | 9.61            |  |
| 400              | 12.25           |  |
| 570              | 25.00           |  |

- Complete Table 3. (3 marks)
- Plot the graph of frequency (f) against  $\sqrt{T}$  (3 marks)
- From the graph in (b) determine:
  - the frequency (f) when  $\sqrt{T}$  is 2.5 (1 mark)
  - the slope of the graph (1 mark)
  - the relation between f and  $\sqrt{T}$  (2 marks)