#### CONFIDENTIAL

# THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL OF TANZANIA CERTIFICATE OF SECONDARY EDUCATION EXAMINATION NOVEMBER 2019

032/2A

#### CHEMISTRY 2A ACTUAL PRACTICAL A

#### 24 HOURS ADVANCE INSTRUCTIONS

#### 1.0 IMPORTANT

- 1.1 GREAT CARE MUST BE TAKEN NOT TO DIVULGE THESE INSTRUCTIONS TO BOTH CANDIDATES AND TO UNAUTHORIZED PERSONS EITHER DIRECTLY OR INDIRECTLY.
- 1.2 MAKE SURE THAT THE CANDIDATES ARE PROVIDED WITH CHEMICALS AND APPARATUSES AS INDICATED IN THESE ADVANCE INSTRUCTIONS ONLY AND NOT OTHERWISE.

### 2.0 PREPARATION AND LABELLING OF CHEMICALS AND APPARATUSES

#### 2.1 Question 1

- Prepare 0.1 M NaOH solution and label it **AA**, allow 150 cm<sup>3</sup> per candidate.
- Prepare 0.1 M HCl solution and label it BB, allow 150 cm<sup>3</sup> per candidate.
- Provide each candidate with methyl orange (MO).
- Provide each candidate with 1 burette, 1 conical flask, 1 pipette (20 cm<sup>3</sup> or 25 cm<sup>3</sup>), 1 white tile, 1 retort stand and a clamp.

#### 2.2 Question 2

- Provide each candidate with 7 boiling test tubes and a test tube rack.
- Provide 3 g CuCO<sub>3</sub> per candidate label it V.
- Provide 200 cm<sup>3</sup> distilled water per candidate.
- Provide concentrated H<sub>2</sub>SO<sub>4</sub> on the front bench, to be monitored closely.
- Provide dilute HCl, FeSO<sub>4</sub>, Ca(OH)<sub>2</sub>, NH<sub>3</sub> solution, MgSO<sub>4</sub> solution and NaOH as bench reagents.
- Provide 2 strips of both blue and red of litmus paper.
- Provide heat source for sharing in the ratio of 1:4.

## 3.0 NOTE TO EXAMINATIONS SUPERVISOR AND LABORATORY TECHNICIAN/HEAD OF CHEMISTRY DEPARTMENT

Laboratory technician/teacher/Head of Chemistry Department should perform an experiment of Question 1 during the last 30 minutes of the last session of the examination. The experimental data must be recorded in the form in page 2 of these instructions and enclosed together with the candidates' scripts (Answer booklets) for submission to the Examinations Council.

Page 1 of 2
CONFIDENTIAL