THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

32/2B

CHEMISTRY 2B ACTUAL PRACTICAL B

(For Both School and Private Candidates)

ime: 2:30 Hours

Friday, 14th November 2014 a.m.

Instructions

- This paper consists of three (3) questions. Answer all the questions.
- Question 1 carries twenty (20) marks and the rest carry fifteen (15) marks each.
- Qualitative Analysis Guidance Pamphlets may be used after a thorough check by the supervisor.
- Cellular phones and calculators are **not** allowed in the examination room.
- Write your Examination Number on every page of your answer booklet(s).
 - You may use the following constants:

Atomic masses:

H = 1,
$$C = 12$$
, $O = 16$, $Na = 23$, $S = 32$.
1 litre = 1 dm³ = 1000 cm³

- You are provided with the following solutions: 1.
 - P: Containing 2 g of pure sodium hydroxide in 500 cm³ of solution;
 - Q: Containing 5.2 g of impure sulphuric acid in 1dm³ of solution; Phenolphthalein and Methyl orange indicators.

Questions

- Which is the suitable indicator for the titration of the given solutions? $G_{i\nu_e}$ reason for your answer.
- Titrate the acid (in a burette) against the base (in a conical flask) using the (b) drops of your indicator and obtain three titre values.
- cm³ of **P** required _____ cm³ of **Q** for complete reaction. (c) (i)
 - (ii) With state symbols, write a balanced chemical equation for the reaction between P and O.
- Showing your procedures clearly, calculate the percentage purity of sulphunk acid.
- You are provided with the following; 2.

X: Containing 20 g of solid sodium thiosulphate per litre;

Y: 2.0 moldm⁻³ hydrochloric acid;

Distilled water;

Stop-watch;

Thermometer:

Plain paper.

Procedure

- Draw a cross on a white paper. (i)
- Measure 20 cm³ of solution X into 100 cm³ beaker. Add 20 cm³ of distilled water and (ii) heat the contents with a gentle flame.
- When the temperature reaches 60°C, transfer the beaker on top of a cross and (iii) immediately add 5 cm³ of solution Y. At the same time start the stop-watch.
- Stir the mixture with a glass rod, while observing the cross on top view. (iv)
- Stop the clock immediately as soon as the cross is obscured and record the time. (v)
- Repeat the experiment three times at a temperature of 50°C, 40°C, and room temperature (vi) as indicated in Table 1.

Table 1

Experiment	Experiment Temperature (°C) Concentration of Temperature				
number	Primare (C)	Concentration of sodium thiosulphate	Time, t (sec)		
1	60	(moldm ⁻³)			
2	50	0.0635			
3	40	0.0635			
4	Room temp.	0.0635			
	recom temp.	0.0635			

Questions (a) What is the aim of this experiment? (b) Complete Table 1.

- (c) Giving reason(s), identify the experiment in which the reaction is
 - (i) fast.
 - (ii) slow.
- (d) With state symbols, write the ionic equation for the reaction between X and Y.
- (e) (i) Draw the graph of temperature against time.
 - (ii) What conclusion can you draw from the graph? Give a reason for your answer.

Sample J contains one cation and one anion. Using systematic qualitative analysis procedures, record carefully your experiments, observations, inferences and finally identify the anion and cation in sample J.

Table 2

S/n	Experiment	Observation	Inference

Conclusion

(i)	The cation pr	esent in sample	le J is	

- (ii) The anion present in sample **J** is _____.
- (iii) The chemical formula of sample **J** is _____.
- (iv) The chemical name of sample **J** is _____.