

<https://maktaba.tetea.org>



1. You are provided with the following:

- (a) Solution A which contains 4.90 g of sulphuric acid per  $\text{dm}^3$ .
- (b) Solution B of monovalent metal X hydroxide. Solution B is made by dissolving 2.00 g of X hydroxide in distilled water and making up to  $1000 \text{ cm}^3$ .
- (c) Methyl orange indicator.

Procedure:

Put the acid solution in the burette. Pipette  $20 \text{ cm}^3$  (or  $25 \text{ cm}^3$ ) of solution B into the titration flask. Add a few drops of methyl orange indicator. Titrate this base against solution A until an end point is reached. Record your titration results in a table as shown below.

(d) Table of results

Volume of pipette used was \_\_\_\_\_  $\text{cm}^3$  (01 mark)

Titration	Pilot	1	2	3
Final reading ( $\text{cm}^3$ )				
Initial reading ( $\text{cm}^3$ )				
Volume used ( $\text{cm}^3$ )				

(07 marks)

(e) The colour change at the end point was from \_\_\_\_\_ to \_\_\_\_\_. (02 marks)

(f) The volume of acid solution A needed for complete neutralisation was \_\_\_\_\_  $\text{cm}^3$ , (01 mark)

(g) Write a balanced equation for the reaction. (02 marks)

(h) Calculate

(i) the molarity of acid solution (02 marks)

(ii) the molarity of the base solution (03 marks)

(iii) the molar mass of monovalent metal X hydroxide (03 marks)

(iv) the atomic mass of metal X. (03 marks)

(i) Metal X is most likely \_\_\_\_\_. (01 mark)



2. Sample X is a simple salt containing ONE cation and ONE anion. Carry out the experiments described below carefully and record all your observations. Make appropriate inferences and identify the cation and anion present in sample X.

	Experiment	Observation	Inference
(i)	Appearance		
(ii)	Put a spatulaful of sample X in a test tube and heat		
(iii)	Add three drops of sodium hydroxide solution to the solid sample X. Warm and test the gas evolved		
(iv)	Put a spatulaful of sample X in a dry test-tube, add conc. $\text{H}_2\text{SO}_4$ acid. Warm the mixture. Test for any gas evolved		
(v)	Put a spatulaful of sample X in a test tube, add conc. $\text{H}_2\text{SO}_4$ acid and $\text{MnO}_2$ . Warm the mixture. Test for any gas(es) evolved		
(vi)	Place a spatulaful of sample X in a test tube and add water until half test tube. Shake to dissolve		
(vii)	To a portion of the solution from no. 6, add aqueous silver nitrate solution and then aqueous ammonia solution and shake		

**CONCLUSION:**

The cation is \_\_\_\_\_ and the anion is \_\_\_\_\_.

- (a) Give balanced chemical equations for the reactions taking place in experiments (ii) and (iv).  
 (b) Write the confirmatory test for the anion present in sample X. (25 marks)



3. Sample Z contains ONE cation and ONE anion. Using systematic qualitative analysis procedures, carry out tests on Z and make appropriate observations and inferences and hence identify the cation and anion present in sample Z. Record your experiments, observations and inferences in tabular form as shown below.

[illegible]

### CONCLUSION:

The cation present in Z is \_\_\_\_\_ and the anion is \_\_\_\_\_.

(25 marks)