THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

032/2A

CHEMISTRY 2A

* ALTERNATIVE A PRACTICAL (For Both School and Private Candidates)

TIME: 21/2 Hours

Thursday morning 18/10/2007

Instructions

- This paper consists of three (3) questions.
- 2. Answer two (2) questions including question number 1
- 3. All questions carry equal marks.
- 4. Qualitative Analysis Guidance Pamphlets may be used after a thorough check by the supervisor.
- 5. Cellular phones are **not** allowed in the examination room.
- 6. Electronic calculators are **not** allowed in the examination room.
- 7. Write your **Examination Number** on every page of your answer booklet(s).
- 8. The following constants may be used: H = 1, O = 16, Na = 23, S = 32. $1 \text{ dm}^3 = 1 \text{ litre} = 1000 \text{ cm}^3$.

1. You are provided with the following:

Solution G containing 0.05 M sulphuric acid.

Solution H containing 2 g of XOH in 500 cm³ of the solution.

Solution F, methyl orange indicator.

Determine the atomic mass of X in XOH.

Procedure:

Put solution G in the burette. Pipette 20 cm³ or (25 cm³) of solution H into the conical flask. Add two or three drops of methyl orange indicator. Titrate solution H against solution G from the burette until a colour change is observed. Note the burette reading. Repeat the procedure to obtain three more readings.

- (a) Record your results in a table as shown below.
 - (i) Burette readings.

Titration	Pilot	1	2	3
Final reading (cm ³)		916/10/12/21		7
Initial reading (cm ³)				34 (3) (3)
Volume used (cm ³)		. 22161		1982 8394

- (ii) The volume of pipette used was ____ cm³.
- (iii) Calculate the mean titre volume.
- (iv) The volume of solution H needed for complete neutralization of _____ cm³ of solution G was _____ cm³.
- (b) Write a balanced chemical equation for the reaction between solution **G** and **H**.
- (c) Calculate the
 - (i) molarity of H.
 - (ii) concentration of H in g/dm³.
 - (iii) molar mass of XOH.
 - (iv) atomic mass of X in compound XOH.

(25 marks)

2. Sample B is a simple salt containing one cation and one anion. Carry out carefully the experiments described below and record all your observations and appropriate inferences. Identify the cation and anion present in sample B.

	Experiment	Observation	Inference
(a)	Appearance of sample B.		
(b)	To half a spatulaful of sample B in a test tube, add concentrated sulphuric acid and warm.		
(c)	To a spatulaful of sample B in a test tube, add 10 cm ³ of distilled water and stir to obtain a stock solution then divide it into three portions.	sei M bi ine	
(d)	To the first portion of the stock solution, add sodium hydroxide till excess.		
(e)	To the second portion of the stock solution, add barium chloride solution.		
(f)	To the third portion of the stock solution, add freshly prepared acidified ferrous sulphate solution followed by concentrated sulphuric acid added slowly along the walls of the test tube.		
(g)	Perform a flame test on sample B .		

Conclusion	

3. Sample N is a simple salt containing one cation and one anion. Using systematic qualitative analysis procedures, carry out tests on the sample and make appropriate observations and inferences to identify the cation and anion in sample N.

Experime	ent	Observation	Inference
			nie tr. Specialista
	F-1		
		and the state of the section	
Conclusion			
The cation prese	nt in N is	_ and the anion is	가 있다고 있는 사용하는 전에 가는 사람들이 되었다. 사용하는 사용하는 사용하는 사용하는 사용하는 사용하는 사용하는 사용하는
The second secon			
			domain and the last
		300 E 180 E	and the contribution and soding
			SERVICE SERVE SERVERSES
		50,000,00	general this southless
			ALEXA DE MARIE
		Light of M	
***		bowsers,	
		- activities aincid	
		i orumpiak betes	aconda va bareniar
		Ta allow out gool	a wywiaia desira dada
			(\$10) IPCI (\$1)
			not south a more (%)