# THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

032/2B

## CHEMISTRY 2B ACTUAL PRACTICAL B

(For Both School and Private Candidates)

Time: 2:30 Hours

Friday, 19th October 2012 a.m.

### Instructions

- 1. This paper consists of three (3) questions. Answer all the questions.
- 2. Question 1 carries twenty (20) marks and the rest carry fifteen (15) marks each.
- 3. Qualitative Analysis Guidance Pamphlets may be used after a thorough check by the supervisor.
- 4. Cellular phones and calculators are not allowed in the examination room.
- 5. Write your Examination Number on every page of your answer booklet(s).
- 6. You may use the following constants:

Atomic masses:

H = 1, C = 12, O = 16, Na = 23, Cl = 35.5. 1 litre = 1 dm<sup>3</sup> = 1000 cm<sup>3</sup>.

- You are provided with the following solutions: 1.
  - C: Containing 9.13g/dm3 of HX acid;
  - D: Containing 1.00 g of sodium hydroxide in 0.25 dm<sup>3</sup> of solution; Methyl orange indicator.

## **Questions:**

- With state symbols, write a balanced chemical equation for the reaction between solution C and D.
- Titrate the acid (in burette) against the base (in a conical flask) using two drops of your indicator and obtain three titre values.
- (c) (i) \_\_\_\_\_ cm<sup>3</sup> of acid required \_\_\_\_\_ cm<sup>3</sup> of base for complete reaction.
  - (ii) Showing your procedures clearly, identify element X in acid HX.

(20 marks)

- You are provided with the following: 2.
  - E: 0.1 M sodium thiosulphate (Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>);
  - G: 2 M Hydrochloric acid (HCl);
  - Stop watch and thermometer.

#### Procedure:

- (i) Use a measuring cylinder to measure out 10.00cm<sup>3</sup> portion of solution E and 10.00 cm<sup>3</sup> of solution G into two separate test tubes.
- (ii) Put solution E in a hot water bath (use a beaker of 250 cm<sup>3</sup> or 300 cm<sup>3</sup> containing tap water as hot water bath).
- (iii) When solution E attain a temperature of 60°C, pour solution E and G into 100 cm<sup>3</sup> empty beaker and immediately start the stop watch.
- (iv) Place the beaker with the contents on top of a piece of paper marked X.
- (v) Note the time taken for the mark X to disappear.
- (vi) Repeat procedure (i) to (v) at temperature 70°C, 80°C and 90°C.
- (vii) Record your results as in Table 1.

Table 1

Experiment	Temperature	Time (s)
1	60°C	
2	70°C	
3	80°C	
4	90°C	

# Questions:

3.

- (a) Why solution E was put into water bath?
- (b) Write a balanced equation for reaction between E and G.
- (c) What is the product which causes the solution to cloud the letter X?
- (d) Draw a graph of time against temperature.
- (e) Comment on the shape of the graph in relation to the rate of this reaction.

(15 marks)

Sample J is a simple salt containing one cation and one anion. Carry out the experiments described below. Record carefully your observations and make appropriate inferences and hence identify the anion and cation present in sample J.

S/n	Experiment	Observation	Inference		
(a)	Observe the appearance of sample <b>J</b> .				
(b)	Perform a flame test.				
(c)	Dissolve a little amount of sample <b>J</b> in a test tube and shake.				
(d)	Heat a little amount of <b>J</b> in a dry test tube.				
(e)	Put a little amount of solid sample in a test tube and add concentrated sulphuric acid drop wise.				
(f)	To a little amount of <b>J</b> in a test tube add dilute nitric acid. Divide the resulting solution into three portions and add the following:  (i) Sodium hydroxide solution until in excess to the first portion.  (ii) Excess ammonia solution to the second				
	portion.  (iii) Barium chloride solution followed by dilute hydrochloric acid to the third portion.				

Uniforcity of				
~		Marine San		
	ncl	-	A.	•
CU				2

(i)	The cation in samp	le J is	and anion is
-----	--------------------	---------	--------------

(ii) Show the reaction taken place in (f) (i).

(15 marks)