

# THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

035

ENGINEERING SCIENCE (For Both School and Private Candidates)

Time: 3 Hours

Friday November 05, 2004 a.m.

#### Instructions

- 1. This paper consists of sections A, B and C.
- Answer all questions in sections A and B and three (3) questions from section C.
- Electronic calculators are not allowed in the examination room.
- Cellular phones are not allowed in the examination room.
- Write your Examination Number on every page of your answer booklet(s).
- Acceleration due to gravity, g = 9.8 m/s<sup>2</sup>.

This paper consists of 4 printed pages



## SECTION A (10 marks)

Answer all questions in this section.

- For each of the items (i) (x) choose the correct answer from among the given alternatives and write its letter beside the item number.
  - If a solid weighs 1960 N in air, 1568 N when totally immersed in water and 1176 N when totally immersed in liquid x, then the density of liquid x is ----
    - AB 4.0
    - 2.0
    - 4.0
    - CD 5.0
    - 3.0
  - (ii) In order to keep a body moving in a circle, there must be a force on it directed towards the centre. This force is called
    - A tensional angular B centrifugal
    - centrifugal
    - centripetal
    - D frictional
    - gravitational
  - (iii) Potential and kinetic energies are similar in that
    - AB both produce heat
    - both are measured in warts
    - both are forms of electrical energy
    - D one is a substitute of the other
    - both are forms of mechanical energy.
  - A given mass of gas has a volume of 100 cm  $^3$  at 750 mmHg pressure. At what pressure, in mm Hg, is its volume 60 cm  $^{59}$ 
    - 120
    - B 130
    - 125 C
    - 135 D
    - 140. E
  - (v) If the e.m.f. and internal resistance of a battery are 1.5 V and 0.4  $\Omega$  respectively, the current that the battery will supply to a resistor of 14.6  $\Omega$  will be -----
    - AB
    - 10
    - 1.0 C
    - D 0.1
    - 0.25
  - If the refraction index of water is  $\frac{4}{3}$ , then the critical angle of the water-air interface is
    - 480 35
    - 45° B
    - 42° C
    - 35° 51' D
    - 30

- (vii) The area under velocity against time graph represents
  - A displacement
  - B velocity
  - C distance
  - D acceleration E average velocity.
- (viii) The SI units of linear momentum is
  - A NS
  - B Kgm/sec
  - C Kg/ms
  - D
  - E Nm.
- (ix) Three common methods of magnetization are
  - A natural, electrical and chemical
  - B electrical, magnetic and induction
  - C stroking, induction and electrical
  - D stroking, chemical and natural
  - E forced, heating and stroking
- An instrument which consists of a solenoid wound around soft iron whose magnetism disappears when the current is switched off is called
  - A an electromagnetic
  - B an electric bell
  - C a magnetic relay
  - D a solenoid
  - E an electroscope.

## SECTION B (30 marks)

Answer all questions in this section. All working must be shown clearly. となるなどはほどはないない。

- An object is place 20 cm in front of a concave mirror of focal length 12 cm. Find the nature and
  position of the image.
- (a) Define power.
  - (b) Calculate the power of a pump which can lift 100 kg of water through a height of 3 m in 5 seconds (assume g = 10 m/sec<sup>2</sup>).
- In a hydraulic press, the radius of the big piston is 80 mm while that of the small piston is 20 mm. Calculate the velocity ratio of the press.
- 5. A lamp is rated 240 V 60 W
  - (a) What does this mean?
  - (b) Calculate the resistance of the filament when the lamp is used.
- 6. What do you understand by "anomalous expansion of water"?
- 7. State three (3) factors affecting the velocity of sound.



- 8. What is polarization and how is it prevented in the Leclanche' cell?
- 9. A body which moves from rest with uniform acceleration, travels 18 in during the third second. What will be its velocity at the end of the eighth second?
- Explain why burns produced by steam at 100°C are more severe than those produced by hot water at 100°C.
- Distinguish between resistivity and temperature coefficient of a material.

#### SECTION C (60 marks)

Answer three (3) questions from this section.

12. Give a diagram of a single string pulley system with a velocity ratio of 6.

Calculate the efficiency of a single string pulley if an effort of 1000 N is required to raise a load of 4500 N.

Find the energy wasted when a mass of 500 kg is lifted through 2 m.

- 13. (a) State the law of flotation.
- (b) What volume of brass of density 8.5 g/cm<sup>3</sup> must be attached to a piece of wood of mass 100 g and density 0.2 g/cm<sup>3</sup> so that the two together will just submerge beneath water?
- 14. (a) Define the coefficient of linear expansion of a material.
  - (b) An iron tyre of diameter 50 cm at 15°C is to be shrunk on to a wheel of diameter 50.35 cm. To what temperature must the tyre be heated so that it will slip over the wheel with a radial gap of 0.5 mm? (Coefficient of linear expansion of iron = 0.000012/°C).
- 15. (a) State ohm's law
  - (b) Two cells each having an e.m.f of 2.5 V and internal resistance of 2 Ω are connected in (i) series (ii) parallel.

Find the current in each case when the cells are connected to a 5  $\Omega$  resistance.

- 16. (a) State the laws of electromagnetic induction
  - (b) A transformer is designed to operate a 6 V lamp from a 240 volts a.e mains.
    - (i) What is the ratio of primary to secondary turns?
    - (ii) What should be the ratio of primary current to secondary current if there is no energy loss in the transformer?