

# THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

035

### ENGINEERING SCIENCE

(For Both School and Private Candidates)

TIME: 3 Hours

Thursday 16th October 2008 a.m.

#### Instructions


- 1. This paper consists of sections A. B and C.
- Answer all questions in sections A and B and three (3) questions from section C.
- Electronic calculators are not allowed in the examination mom.
- Cellular phones are not allowed in the examination room.
- Write your Examination Number on every page of your answer booklet(s).
   Acceleration due to gravity, g = 10 m/s<sup>2</sup>



This paper consists of 5 printed pages.

csee\_OH

0



Answer all questions in this section.

- For each of the items (i) (x), choose the correct answer among the given alternatives and write its letter beside the item number.
  - The SI unit of energy is (1)
    - Newton metre<sup>2</sup> (Nm<sup>2</sup>)
    - B joule per second (J/s)
    - C joule (J)
    - Newton metre (Nm) D
    - E watt (W).
  - A metre rule is found to balance at 49 cm mark. When a mass of 100 g is suspended at (iii) 10 cm mark, it balances at 36 cm mark. The weight of the metre rule is

0

10

- 3.6 N
- B 2 N
- C 2,5 N
- D 3 N
- 2.9 N.
- If density = A, Volume = P, and Mass = R which of the following is true? (iii)
  - $P = \frac{R}{R}$ A
  - B A = PR
  - C P = AR
  - R AP D
  - $P = \frac{A}{R}$ E
- A machine of V.R 5 is used to raise a load whose weight is 200 N. If the effort required (iv) is 50 N, the efficiency of the machine is
  - A 80 %
  - B 50 %
  - C 75 %
  - D 60%
  - 85 %.
- The heat capacity of a substances is defined as the (v)
  - heat required to raise the temperature of a unit mass of the substance by 100°C or
  - quantity of heat required to raise the temperature of a substance B C
  - heat required to raise the temperature of a substance by 1 K
  - heat required to raise the temperature of unit mass of a substance D
  - heat required to change the state of a substance.



- (vi) Two main differences between light and sound waves are that light waves
  - A are transverse and exhibit interference while sound waves are not
  - B are transverse and exhibit diffraction while sound waves are not
  - C undergo interference and diffraction while sound waves do not
  - D are transverse and electromagnetic while sound waves are not
  - E are longitudinal and exhibit interference while sound waves are not.
- (vii) A body starts from rest and reaches a speed of 5 m/s after traveling with a uniform acceleration in a straight line for 2 sec. The acceleration of the body will be
  - A 2 m/s2
  - B 2.5 m/s<sup>2</sup>
  - C 1.5 m/s2
  - D 10 m/s2
  - E 3 m/s2
- (viii) If the charge passing each point in a circuit is 240 C in 2 minutes, the current is
  - A 120 A
  - B 4A
  - C 20 A
  - D 480 A
  - E 2A
- (ix) Which phenomenon causes the dispersion of white light into a spectrum by a prism?
  - A Absorption
  - B Diffraction
  - C Interference
  - D Reflection
  - E Refraction
- (x) The fundamental unit of angular displacement is the
  - A metre
  - B radian
  - C degree
  - D radian per second
  - E rad/s2.

# SECTION B (30 marks)

Answer all questions in this section.

- A steel rod with a diameter of 20 mm and 1 m long, carried a load of 45 kN which caused an extension of 1.8 mm on the rod. Calculate the stress and strain in the rod.
- If the resistance of a length of a nickel wire is 53 Ω at 20 °C and 61 Ω at 50 °C; calculate the temperature coefficient of resistance of the nickel from and at 20 °C.



- An object 2 cm long is erected 8 cm in front of the concave mirror of radius of curvature 10 cm.
   Determine the position, size and the nature of the image formed.
- 5. A car is driven round a corner at 50 km/hr. If the radius of the corner is 30 m, what is the angular velocity of the car as it goes round the corner?
- 2 metre of resistance wire with an area of cross-section 0.5 mm<sup>2</sup> has a resistance of 2.20 Ω. Calculate the
  - (a) resistivity of the wire
  - (b) length of the wire which when connected in parallel with the 2 metre long wire will give a resistance of 2.00 Ω.
- (a) Define the coefficient of linear expansion.
  - (b) The temperature of 2.5 m long steel rod is raised from 10° C to 90° C. If the coefficient of linear expansion of steel is 0.000012/° C, determine the increase in length.
- Explain what is meant by the following terms:
  - (a) A magnetic field
  - (b) A neutral point
  - (c) Magnetic declination
- A uniform pole AB 10 m long weighing 800 N has its centre of gravity 4.0 m from the end A, and is lying on a horizontal ground. The end B is to be lifted by a vertical force applied at B. Calculate the least force required to do this.
- A sonometer wire whose length is 80 cm has a tension of 40 N. It produces a note of frequency 360 Hz. Calculate the new frequency when the
  - length is altered to 100 cm while the tension remains constant
  - (b) tension is altered to 90 N while the length remains constant.
- 11. Define the following concepts:
  - (a) Work
  - (b) Energy
  - (c) Power

## SECTION C (60 marks)

Answer three (3) questions from this section.


- (a) A Flask of volume 500 cm<sup>3</sup> has a mass of 76 g when empty. Calculate the mass of the flask when it is full of sea water. (The density of sea-water is 1025 kg/m<sup>3</sup>).
  - (b) A fixed mass of a gas at constant temperature has a volume of 500 cm<sup>3</sup> at a pressure of 1 atm. Calculate the volume of the gas at a pressure of 4 atm.

csee 08

4



- State the two conditions for an equilibrium to occur when a body is under action of a 13. (a) number of parallel forces.
  - A uniform horizontal lever is supported on a fulcrum and loaded as shown in the figure (b) below. Calculate the magnitude of the
    - load W required to maintain equilibrium
    - reaction R at the support. (Neglect the mass of the lever). (ii)



- An engine has a mass of 150 kg and is suspended from a crane by a sling 4 m above ground level.
  - Determine the potential energy of the engine due to its position above the ground.
  - Due to a fault in the sling, the engine falls freely to the ground from that height. Calculate (b)
    - velocity at the point of impact with the ground. (i)
    - kinetic energy at the point of impact with the ground. (ii)
    - potential energy of the engine after falling 3 m. (111) (Take g = 10 m/s2 and neglect air resistance).
- A lifting machine has a velocity ratio of 50. When tests were carried out on the machine, it was found that an effort of 180 N lifted a load of 2000 N while an effort of 300 N lifted a load of 15. 5000 N. Determine the
  - law of machine, assuming it is linear
  - effort, mechanical advantage and efficiency when lifting the maximum safe load of 10,000 (b)
  - limiting efficiency of the machine. (c)
- An accumulator of e.m.f 2 V and negligible internal resistance is connected to two resistors of value 4  $\Omega$  which are joined in parallel. Find the total current taken from the accumulator and the current in each resistor.

csee\_08