

**THE UNITED REPUBLIC OF TANZANIA**  
**NATIONAL EXAMINATIONS COUNCIL OF TANZANIA**  
**DIPLOMA IN SECONDARY EDUCATION EXAMINATION**

**732/2A**

**CHEMISTRY 2A**  
**(ACTUAL PRACTICAL 2A)**

**Time: 3 Hours**

**Year: 2021**

---

**Instructions**

1. This paper consists of **three (3)** questions.
2. Answer **all** questions.
3. Question number **one (1)** carries **twenty (20)** marks and the rest carry **fifteen (15)** marks each.
4. Cellular phones and any unauthorized materials are not allowed in the examination room.
5. Write your **Examination Number** on every page of your answer booklet (s)



1. Perform titration using solution X1, X2, using the Phenolphthalein (POP) indicator. Follow systematic procedure as follows: Titrate X1 (from the burette), against  $20.00\text{ cm}^3$  or  $25.00\text{ cm}^3$  of X2 (in a titration flask) using POP until the end point. Record the results including one rough and three accurate volumes in a tabular form. After titration, answer the following questions:
- (i) What was the colour change observed during this titration experiment?
  - (ii) What was the volume of the pipette used?
  - (iii) Calculate the average volume of solution X1 that was used to neutralize solution X2.
- b) Write a balanced chemical equation between X2 and X1 with all state symbols and the corresponding ionic equation.
- Calculate the concentration of the following:
  - Solution X1 in  $\text{moles/dm}^3$ .
  - Solution X1 in  $\text{g/dm}^3$ .
2. You are provided with 0.5 M sodium thiosulphate, 1 M hydrochloric acid, distilled water, stop watch and a white sheet of paper marked X. Perform the experiment in following procedure:
- Pour  $30\text{ cm}^3$  of B1 into  $100\text{ cm}^3$  beaker.
  - Take a white sheet of paper provided with a letter X drawn on it and place it under the  $100\text{ cm}^3$  beaker in such a way that X is seen through the bottom of the beaker.
  - Add  $10\text{ cm}^3$  of B2 into the beaker containing  $30\text{ cm}^3$  of B1 and at the same time start the stop watch. Swirl the mixture twice and look through the solution from above.
  - Stop the clock when X disappears from the sight and record the time.
  - Repeat steps (i) to (iv) using the specifications shown in the following table.

### Experimental Data

Exp.	Volume of B1 (cm <sup>3</sup> )	Volume of water (cm <sup>3</sup> )	Volume of B2 (cm <sup>3</sup> )	Time, t for X to disappear (s)	1/time (s <sup>-1</sup> )
1	30	0	10		
2	25	5	10		
3	20	10	10		
4	15	15	10		
5	10	20	10		
6	5	25	10		

After the experiment, answer the following questions:

(a) Write a balanced chemical equation for the reaction which took place during the experiment.

(b) (i) Plot a graph of volume of **B1** (cm<sup>3</sup>) against 1/time (s<sup>-1</sup>).

(ii) Interpret the graph.

(iii) What does 1/time represent?

(iv) If temperature was to be the factor affecting the rate of reaction, how would the two relate?

(v) Draw a conclusion about this experiment

3. Sample **J** is a simple salt containing one cation and one anion. Carefully, carry out qualitative analysis experiment to identify the ions present in the salt based on the following tests:

(a) Appearance of the sample.

(b) Action of heat on the sample.

- (c) The sample dissolved in the water.
- (d) Action of potassium iodide on the solution of the sample then warm.
- (e) Action of a freshly prepared iron (II) sulphate on the solution of the sample followed by concentrated sulphuric acid

#### Questions

- (i) Prepare a relevant Table showing the qualitative analysis results.
- (ii) Write a balanced chemical equation (with state symbols) for the reaction that took place in experimental test (b)