THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL OF TANZANIA DIPLOMA IN SECONDARY EDUCATION EXAMINATION

732/2A


CHEMISTRY 2A

(ACTUAL PRACTICAL 2A)

Time: 3 Hours Year: 2022

Instructions

- 1. This paper consists of three (3) questions.
- 2. Answer **all** questions.
- 3. Question number one (1) carries twenty (20) marks and the rest carry fifteen (15) marks each.
- 4. Cellular phones and any unauthorized materials are not allowed in the examination room.
- 5. Write your **Examination Number** on every page of your answer booklet (s)



- 1. Measure 10 ml of solution **A** and dilute it with distilled water up to 150 cm³ of solution using a measuring cylinder. Then titrate **A** (from the burette), against 20.00 cm³ or 25.00 cm³ of **B** (in a titration flask) using **MO** until the end point. Record the results including one rough and three accurate volumes in a tabular form. After titration, candidates were required to answer the following questions:
 - a) (i) What is the volume of the pipette used?
 - (ii) Present your results in an appropriate tabular form.
 - b) What is the colour of the indicator before and at the equivalence point?
 - c) Calculate the concentration of HCl in solution **B** in mol dm⁻³.
 - d) Calculate the concentration (in mol dm⁻³) of Na₂CO₃ after dilution of solution **A**.
 - e) Calculate the concentration (in mol dm⁻³) of Na₂CO₃ before dilution of solution **A**.
 - f) If the diluted 10 ml of solution **A** contains 0.888 g of impure sodium carbonate, what is the percentage composition of sodium carbonate in the solution?
 - g) If solution **A** was made by dissolving a known mass of impure sodium carbonate and distilled water was added to make the solution up to 250cm³ in a graduated flask, give one reason why the impure sodium carbonate was dissolved in water first and then made up to 250 cm³ of solution, rather than being dissolved in 250 cm³ of distilled water.
- 1. You are provided with 0.02 M solution labelled P1, 0.05 M oxalic acid made up in 0.5 M labelled P2, a stop watch, a thermometer and other relevant materials. Perform an experiment to assess the effect of temperature on the rate of chemical reaction by following the procedures:

- (i) Put water in a 250 or 300 cm³ beaker about two thirds and heat the content to about 100°C. Use this as water bath.
- (ii) Measure 10 cm³ of portions of P1 and P2 and transfer them into two separate test tubes
- (iii) Put the test tubes in the water bath.
- (iv) Allow the contents of the two test tubes to warm up to 50° C.
- (v) Pour both solutions, P1 and P2, into a 50 cm³ beaker and immediately start a stopwatch and record the time taken for the purple color to disappear.
- (vi) Repeat procedure (ii) to (v) except that instead of 50 °C in procedure (iv) use temperatures, 60 °C, 70 °C and 80 °C.

Question:

a) Complete the following Table

Table of Results

| Temperature, T | | $\frac{1}{T}(K^{-1})$ | Time, t (s) | Rate $\left[\frac{1}{t}(S^{-1})\right]$ | $\log\left(\frac{1}{t}\right)$ |
|----------------|---|-----------------------|-------------|---|--------------------------------|
| °C | K | | | | |
| 50 | | | | | |
| 60 | | | | | |
| 70 | | | | | |
| 80 | | | | | |

- b) Write a balanced ionic equation for the reaction.
- c) With reference to the results in (a), explain the relationship between temperature and reaction timec)
- d) Plot a graph of $\log (1/t)$ as a function of 1/T.

- e) Determine the activation energy of the reaction given that the Arrhenius equation can be presented by the relation $\log\left(\frac{1}{t}\right) = \frac{-E_a}{2.303R} \frac{1}{T} + \log A$, where \mathbf{E}_a is the activation energy and \mathbf{R} is the gas constant = 8.314 $Jmol^{-1}K^{-1}$
- 2. Sample from the industry was brought to the college laboratory as X. Perform systematic qualitative analyses to identify the cation and anion which cause the contamination of water. Prepare a relevant Table showing the qualitative analysis results. Base your experiment on the listed tests and then answer the questions that follow:
 - (i) Appearance of sample X.
 - (ii) Action of heat on sample X in a test tube
 - (iii) Action of dilute sulphuric acid on a solid sample.
 - (iv) Action of concentrated sulphuric acid on solid sample.
 - (v) Flame test.
 - (vi) Solubility of the sample.
 - (vii) Action of dilute hydrochloric acid to a sample solution.
 - (viii) Action of aqueous ammonia to the original sample solution followed by ammonium oxalate.

Questions

- (a) What are the cation and anion present in the water source?
- (b) Write the reaction equation to indicate what took place in test (iii).