

**THE UNITED REPUBLIC OF TANZANIA
NATIONAL EXAMINATIONS COUNCIL OF TANZANIA
DIPLOMA IN SECONDARY EDUCATION EXAMINATION**

732/2B

**CHEMISTRY 2B
(ACTUAL PRACTICAL B)**

Time: 3 Hours

Wednesday, 15th May 2013 a.m.

Instructions.

1. This paper consists of **three (3)** questions.
2. Answer **all** questions
3. Question number 1 carries 20 marks and the rest carry 30 marks.
4. Cellular phones are **not** allowed in the examination room.
5. Write your **examination Number** on every page of your answer booklet(s).

maktaba.tetea.org



1. A student was given a solution labeled **L1**, which is a solution of nitric acid of unknown concentration. She was also given a solution labeled **L2**, which contains 5.3 g of sodium carbonate (Na_2CO_3) dissolved in 1 dm³ of solution. Using methyl orange as the indicator, she was instructed to determine the concentration of **L1** through titration.

Procedure:

She pipetted 25.0 cm³ of solution **L2** into a conical flask, added 2–3 drops of methyl orange, and titrated it with **L1** from the burette until the endpoint was reached. She repeated the titration three more times and obtained consistent readings.

Questions

- What colour change was observed at the end point of the titration?
- What volume of acid was delivered on average from the burette?
- Write the balanced chemical and ionic equations for the reaction between nitric acid and sodium carbonate.
- Calculate the number of moles of sodium carbonate used in each titration.
- Using your answer in (d) and the average titre value of 25.0 cm³, calculate the concentration of nitric acid in mol/dm³.

2. In a study of the effect of temperature on reaction rate, two solutions were used:

- Solution **S1**: 0.1 M sodium thiosulphate
- Solution **S2**: 0.1 M hydrochloric acid

A student mixed 10 cm³ of **S1** and 10 cm³ of **S2** in a beaker placed over a paper marked with a black cross. The time taken for the cross to disappear due to sulfur precipitate was measured using a stopwatch. This experiment was repeated at 30°C, 40°C, 50°C, 60°C, and 70°C using the same volumes.

Questions

- Record the temperature in Kelvin for each trial if the °C values are 30, 40, 50, 60, and 70.
- Explain why the cross disappears during the reaction.
- Complete a table with time(s) for each temperature (assume shorter times at higher temperatures).
- Write the balanced chemical and net ionic equations for the reaction.
- Plot a graph of temperature (K) against reaction time (s).
- What is the effect of temperature on the speed of the reaction, based on your graph?

3. A white salt labeled **M** was given for qualitative analysis. Perform tests to determine the ions present in the salt.

Tests to Perform:

- (a) Heat a small amount of dry salt **M** in a dry test tube and observe any changes.
- (b) Dissolve a small portion in water and divide the solution into three test tubes.
- (c) To the first portion, add sodium hydroxide solution dropwise, then in excess.
- (d) To the second portion, add aqueous ammonia dropwise, then in excess.
- (e) To the third portion, add dilute hydrochloric acid followed by barium chloride solution.
- (f) To a new portion, add silver nitrate followed by dilute nitric acid.

Questions

- (i) Construct a results table showing your observations and the inferences for each test.
- (ii) Suggest the identity of the cation and the anion in salt **M**.
- (iii) Write balanced chemical equations for two of the observed reactions.
- (iv) Write an equation for the reaction between the salt **M** and sodium carbonate solution.